**AC/DC adapter**

Model: **AK-ND-73**

| | |
|---|---|
| Product code | AK-ND-73 |
| Product type | AC/DC adapter |
| Compatible with | Toshiba, Zebra |
| Series | Dedicated |
| Supply voltage | 100-250 V |
| Power consumption | < 2.4 A |
| Efficiency | > 80 % |
| Output voltage | 24 V |
| Output amperage | 4.17 A |
| Outlet cord length | 1.2 m |
| Output connector | 6.3 x 3.0 mm |
| Maximum power | 100 W |
| Power inlet | IEC C6 |
| Mechanical switch | None |
| Ground wire | Yes |
| Soft start | Yes |
| OVP | Yes |
| OCP | Yes |
| OPP | Yes |
| OTP | Yes |
| SCP | Yes |
| USB connector | None |
| Power cable included | No |
| Material | ABS |
| Product color | Black |
| Backlight color | Green LED |
| Display | None |
| MTBF | 100000 h |
| Temperature | 5 - 50 °C |
| Package | EcoBox |
| Product size (L x W x H) | 154 x 67 x 45 mm |
| Package size (L x W x H) | 195 x 127 x 48 mm |
| Net weight | 466 g |
| Gross weight | 515 g |
| CE compatibility | Yes |
| FCC compatibility | Yes |
| RoHS compatibility | Yes |
| REACH compatibility | Yes |
| EAN code | 5901720136329 |
| Warranty | 24 months |

# Description

The **Akyga® AK-ND-73 power supply** is a reliable power source **dedicated to Zebra printers**. The product is compatible with devices powered by **24 V/4.17 A** and a **6.3 x 3.0 mm** connector. What is more, the adapter has a well thought-out design. A long **1.2 m cable** and **an angled plug** provide comfort during use. Moreover, the product is equipped with a set of **security features** (OVP, OCP, OPP, OTP, SCP). It guarantees safe and stable operation of powered devices as well as the power supply itself. Additional safety for the equipment is ensured by **the so-called soft-start technology**, which minimizes the shock associated with a sudden increase in current while connecting the device.
All Akyga® power supplies are packed in environmentally friendly **EcoBox** type packaging.
Each time we encourage you to use our **compatibility search engine**.