






Computer case ITX

Model: **AK-730-01BK**



Product code	AK-730-01BK
Product type	Computer case ITX
Format	ITX
Series	ITX Tower Case
Motherboard compatibility	Mini-ITX
Drive bay 5.25" external	1 pc
Drive bay 5.25" internal	None
Tool-less 5.25" drive installation	No
Drive Bays 3.5" internal	None
Drive bay 3.5" external	None
Tool-less 3.5" drive installation	No
Drive bays 2.5" internal	1 pc
Tool-less 2.5" drive installation	No
Tool-less 2.5" slim drive installation	No
Drive Bays 2.5" and 3.5" in all	1 pc
Total internal bays	1 pc
Total external bays	1 pc
Maximum CPU cooling height	45 mm
Sheet thickness	0.4 mm
USB 3.0 ports on the front panel	None
USB 2.0 ports on the front panel	2 pcs
Total number of USB connectors	2 pcs
Memory card reader	None
Audio input on the front panel	1 pc
Microphone input on the front panel	1 pc
Expansion card slots	Acc. to mainboard
Security lock	None
Hole for padlock	No
Cable management system	Basic
Installed fans	1 pc
Supply voltage	230 V
Power consumption	< 2 A
Ground wire	Yes
Power supply connector	IEC C14
Fan size	40 mm
Fan adjustments	Automatic
Spaces for additional fans	None
Fan slots description	Power supply mounted
Water cooling ready	No
Anti-dust filters	No

Power supply tunnel	No
Cable length	40 - 60 cm
Power supply unit included	AK-I1-200
Power cable included	No
Material	Galvanized steel
Product color	Black
Display	None
MTBF	100000 h
Temperature	5 - 50 °C
Package	EcoBox
Product size (L x W x H)	256 x 65 x 279 mm
Package size (L x W x H)	315 x 125 x 303 mm
Net weight	2.5 kg
Gross weight	2.75 kg
CE compatibility	Yes
FCC compatibility	No
RoHS compatibility	Yes
REACH compatibility	Yes
Included accessories	AK-I1-200
EAN code	5901720131584
Warranty	24 months





Description

The Akyga® AK-730-01BK Mini ITX computer case is a compact solution for those who value comfort and modern functionality, as well as reasonable price. Small size allows you to hide the case and save space on your desk, which is especially useful in case of office computers.

There are **two USB 2.0** ports on the front of the case for connecting wireless mice, keyboard, external storage devices or other peripherals. Right next to are the headphone and microphone inputs. Ports placement allows fast and convenient connection of the devices.


The **5.25" external bay** and **internal 2.5" bay** allow to mount CD/DVD drive and others. Depending on your needs, a special adapter allows the installation of a second 2.5" disk in place of the optical drive.

Additional vents are placed on side panels. With this solution the air circulation is much better than in the completely built-up boxes, which guarantees cooler conditions for key components, ensuring their stable operation for a longer time. The maximum height of the CPU cooling systems is **45 mm**.


A set of assembly screws included. The contents of the set may vary depending on the delivery.

The set includes a **200W** power supply.

Mounting bays



Motherboards



ATX, CPU, GPU



Airflow

