



Battery charger

Model: AK-BC-02



Product code	AK-BC-02
Product type	Battery charger
Supply voltage	110-240 V / 50/60 Hz
Output voltage	1.2 V
Battery type	Ni-MH
Mechanical switch	None
Ground wire	Yes
OVP	Yes
OCP	Yes
OPP	Yes
OTP	Yes
SCP	Yes
Power supply connector	IEC C8
Cable length	0.5 m
Power parameters	2.4 V DC 1500 mAh; AA 330 mA x 2 (or 4,6,8); AAA 150 mA x 2 (or 4,6,8)
Material	ABS
Product color	Grey
Temperature	0 - 35 °C
Package	EcoBox
Product size (L x W x H)	173 x 90 x 29 mm
Package size (L x W x H)	245 x 140 x 46 mm
Net weight	164.3 g
Gross weight	246.2 g
CE compatibility	Yes
FCC compatibility	Yes
RoHS compatibility	Yes
REACH compatibility	Yes
Included accessories	Cable AK-RD-01A
EAN code	5901720132758
Warranty	24 months





Description

The Akyga® AK-BC-02 charger is a universal solution for charging two types of batteries: **AA (R6) and AAA (R03)**. High quality handy charger for charging of **up to 8 batteries** with individual control of each cell. Allows **quick recharging** (1-5 hours) from one to eight rechargeable batteries. Fully independent channels allows different sizes and brands of the batteries. Charge status is signalled by 4 LED diodes, which in the charging process shine bright red and after charging shine pale red color.

The charger is equipped with all the necessary safety features and additional protection against:

- the effects of overload and short circuit,
- overcharging the battery,
- overheating of cells (60°C),
- charging the batteries incorrectly, damaged or in bad polarity (resulting in disconnection of charging).

The charger is for Ni-MH batteries.

The set includes an **8x AA/AAA charger** and a **0.5m** power cable.